

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	((NAFEA) near2 (BISHARA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L2	6	((TSAHI) near2 (DANIEL)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L3	5	((DAVID) near2 (MELMAN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L4	0	10/761879	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L5	2	("6438129").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L6	3	("6442144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L7	2	("6529507").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L8	2	("6535498").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L9	13179	(370/254,255,389,428).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L10	26172	(709/223-226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L11	38698	L9 L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L12	0	cpu with \$3approv\$4 same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L13	1624	cpu same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L14	276	L11 and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L15	166	L14 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L16	22	cpu with (mac adj1 address) same (fdb (forwarding adj1 database) (routing adj1 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L17	11	L16 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L18	31	(processor cpu) with (mac adj1 address) same (fdb (forwarding adj1 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L19	18	L18 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L20	11	L19 not L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L21	2	(processor cpu) with approv\$4 same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L22	0	cpu with build adj3 (fdb (routing adj1 table) (forwarding adj1 database)) same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L23	6	cpu with build adj3 (fdb (routing adj1 table) (forwarding adj1 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L24	16	build adj3 (fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L25	5	L24 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L26	259	(fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address) with port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L27	33	(fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address) with port same (source adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L28	20	L27 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L29	19344	(370/254,255,389,428,392).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L30	26172	(709/223-226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L31	44751	L30 L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L32	1	(fdb (routing adj1 table) (forwarding adj1 database)) with (learn\$3 near3 (mac adj1 address)) with port same (source adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L33	45	(fdb (routing adj1 table) (forwarding adj1 database)) with (learn\$3 near3 (mac adj1 address)) same port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L34	15	L33 and L31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L35	9	L34 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L36	31	learn\$3 with associat\$3 adj5 (source MAC address) adj6 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/07/13 14:15
L37	17	L36 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L38	4	"802.1d" with mac same fdb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L39	420	"802.1d" with mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L40	8	"802.1d" with mac same (cpu processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L41	5	L40 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L42	0	(associat\$4 near3 (source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L43	3	((source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L44	6	((source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L45	12	((source adj1 mac adj1 address) with (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L46	0	((source adj1 mac adj1 address) with (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L47	0	((source adj1 mac adj1 address) same (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L48	0	((mac adj1 address) same (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L49	3	((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L50	19	(source adj3 address) same (identical adj2 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L51	7	(source adj3 address) same (identical adj2 port) and mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L52	3	(mac adj1 address) with (port adj1 number) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L53	45	(mac adj1 address) with (port adj1 number) same learn\$3 and (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L54	28	L53 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L55	306	flow with source with mac with destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L56	76	flow with source with mac with destination with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L57	1	flow with source with mac with destination with protocol same (fdb (forwarding adj1 (unit table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L58	76	flow with source with mac with destination with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L59	42	L58 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L60	38	L58 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L61	13674	(370/389,392).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L62	4	L60 and L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L63	2062	flow with (port adj1 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L64	3	L62 and L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L65	334	L61 and L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L66	194	L65 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L67	31	L66 and (fdb (forwarding adj1 (unit table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L68	114	flow with (port adj1 number) same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L69	26	L61 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L70	6	L69 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L71	83	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (source near3 mac adj1 address) and port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L72	37	L71 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L73	0	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same conflict\$3 with (source near3 mac adj1 address) and (receiving adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L74	2	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same conflict\$3 and (receiving adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L75	0	(populat\$3 learn\$3) with ((receiv\$3 adj1 port) and (source near3 mac)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L76	0	(populat\$3 learn\$3) same ((receiv\$3 adj1 port) and (source near3 mac)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L77	9	(populat\$3 learn\$3) same (receiv\$3 adj1 port) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L78	0	(associat\$3 with (source adj1 mac adj1 address) with (receiv\$3 adj1 port)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L79	0	(associat\$3 with (mac adj1 address) with (receiv\$3 adj1 port)) same conflict \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L80	0	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (associat\$3 with (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L81	4	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (associat\$3 same (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L82	26	(associat\$3 same (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L83	6	L82 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L84	0	((associat\$3 same (source adj1 mac adj1 address) with identical) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L85	4	associat\$3 same (source adj1 mac adj1 address) with identical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L86	0	((associat\$3 same (source adj1 mac adj1 address) with conflict\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L87	0	((associat\$3 same (source adj1 mac adj1 address) with redundan\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L88	0	(associat\$3 same ((source adj1 mac adj1 address) with redundan\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L89	26	associat\$3 same ((source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L90	16	associat\$3 with ((source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L91	0	L89 not L82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L92	71	flow with (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L93	44	L92 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L94	13179	(370/254,255,389,428).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L95	26172	(709/223-226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L96	38698	L94 L95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L97	4	L96 and L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L98	65	\$6flow with (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L99	7	\$6flow adj3 (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L100	2	\$6flow adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L101	2	\$6flow adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L102	3	learn\$3 adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L103	0	(populat\$3 learn\$3) adj4 (fdb (forwarding adj1 (table database))) adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L104	9	(populat\$3 learn\$3) with (fdb (forwarding adj1 (table database))) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L105	1182	\$6flow with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L106	69	L105 and L96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L107	54	L106 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L108	2	("6633565").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L109	0	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3) same (conflict\$3 near3 mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L110	0	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3) same (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L111	23	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L112	18	L111 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L113	2	("5923654").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L114	21	((NAFEA) near2 (BISHARA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L115	6	((TSAHI) near2 (DANIEL)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L116	5	((DAVID) near2 (MELMAN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L117	0	10/761879	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/13 14:15
L118	2	("6438129").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L119	3	("6442144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L120	2	("6529507").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L121	2	("6535498").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L122	13179	(370/254,255,389,428).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L123	26172	(709/223-226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L124	38698	L122 L123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L125	0	cpu with \$3approv\$4 same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L126	1624	cpu same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L127	276	L124 and L126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L128	166	L127 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L129	22	cpu with (mac adj1 address) same (fdb (forwarding adj1 database) (routing adj1 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L130	11	L129 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L131	31	(processor cpu) with (mac adj1 address) same (fdb (forwarding adj1 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L132	18	L131 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L133	11	L132 not L130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L134	2	(processor cpu) with approv\$4 same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L135	0	cpu with build adj3 (fdb (routing adj1 table) (forwarding adj1 database)) same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L136	6	cpu with build adj3 (fdb (routing adj1 table) (forwarding adj1 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L137	16	build adj3 (fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L138	5	L137 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L139	259	(fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address) with port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L140	33	(fdb (routing adj1 table) (forwarding adj1 database)) with (mac adj1 address) with port same (source adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L141	20	L140 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L142	19344	(370/254,255,389,428,392).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15

L143	26172	(709/223-226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L144	44751	L143 L142	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L145	1	(fdb (routing adj1 table) (forwarding adj1 database)) with (learn\$3 near3 (mac adj1 address)) with port same (source adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L146	45	(fdb (routing adj1 table) (forwarding adj1 database)) with (learn\$3 near3 (mac adj1 address)) same port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L147	15	L146 and L144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L148	9	L147 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L149	31	learn\$3 with associat\$3 adj5 (source MAC address) adj6 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/07/13 14:15
L150	17	L149 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L151	4	"802.1d" with mac same fdb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L152	420	"802.1d" with mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L153	8	"802.1d" with mac same (cpu processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L154	5	L153 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L155	0	(associat\$4 near3 (source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L156	3	(associat\$4 with (source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L157	6	((source adj1 mac adj1 address) near3 (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L158	12	((source adj1 mac adj1 address) with (port near2 number)) same (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L159	0	((source adj1 mac adj1 address) with (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L160	0	((source adj1 mac adj1 address) same (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L161	0	((mac adj1 address) same (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L162	3	((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L163	19	(source adj3 address) same (identical adj2 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L164	7	(source adj3 address) same (identical adj2 port) and mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L165	3	(mac adj1 address) with (port adj1 number) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L166	45	(mac adj1 address) with (port adj1 number) same learn\$3 and (fdb (forwarding adj1 (table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L167	28	L166 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L168	306	flow with source with mac with destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L169	76	flow with source with mac with destination with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L170	1	flow with source with mac with destination with protocol same (fdb (forwarding adj1 (unit table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L171	76	flow with source with mac with destination with protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L172	42	L171 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L173	38	L171 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L174	13674	(370/389,392).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L175	4	L173 and L174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L176	2062	flow with (port adj1 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L177	3	L175 and L176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L178	334	L174 and L176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L179	194	L178 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L180	31	L179 and (fdb (forwarding adj1 (unit table database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L181	114	flow with (port adj1 number) same (mac adj1 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L182	26	L174 and L181	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L183	6	L182 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L184	83	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (source near3 mac adj1 address) and port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L185	37	L184 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L186	0	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same conflict\$3 with (source near3 mac adj1 address) and (receiving adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L187	2	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same conflict\$3 and (receiving adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L188	0	(populat\$3 learn\$3) with ((receiv\$3 adj1 port) and (source near3 mac)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L189	0	(populat\$3 learn\$3) same ((receiv\$3 adj1 port) and (source near3 mac)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L190	9	(populat\$3 learn\$3) same (receiv\$3 adj1 port) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L191	0	(associat\$3 with (source adj1 mac adj1 address) with (receiv\$3 adj1 port)) same conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L192	0	(associat\$3 with (mac adj1 address) with (receiv\$3 adj1 port)) same conflict \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L193	0	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (associat\$3 with (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L194	4	(populat\$3 learn\$3) with (fdb (forwarding adj1 (database table))) same (associat\$3 same (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L195	26	(associat\$3 same (source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L196	6	L195 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L197	0	((associat\$3 same (source adj1 mac adj1 address) with identical) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L198	4	associat\$3 same (source adj1 mac adj1 address) with identical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L199	0	((associat\$3 same (source adj1 mac adj1 address) with conflict\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L200	0	((associat\$3 same (source adj1 mac adj1 address) with redundan\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L201	0	(associat\$3 same ((source adj1 mac adj1 address) with redundan\$3) same (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L202	26	associat\$3 same ((source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L203	16	associat\$3 with ((source adj1 mac adj1 address) with (receiv\$3 adj1 port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L204	0	L202 not L195	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L205	71	flow with (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L206	44	L205 and (@ad<"20030324" @rlad<"20030324")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L207	13179	(370/254,255,389,428).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L208	26172	(709/223-226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L209	38698	L207 L208	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L210	4	L209 and L206	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L211	65	\$6flow with (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L212	7	\$6flow adj3 (based depend\$3) with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15

L213	2	\$6flow adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L214	2	\$6flow adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L215	3	learn\$3 adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L216	0	(populat\$3 learn\$3) adj4 (fdb (forwarding adj1 (table database))) adj3 (based depend\$3) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L217	9	(populat\$3 learn\$3) with (fdb (forwarding adj1 (table database))) adj7 (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L218	1182	\$6flow with (receiv\$3 adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L219	69	L218 and L209	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L220	54	L219 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L221	2	("6633565").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15
L222	0	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3) same (conflict\$3 near3 mac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L223	0	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3) same (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L224	23	(source adj1 address near3 (look\$3 adj1 up)) with (learn\$3 populat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L225	18	L224 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L226	2	("5923654").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/13 14:15

L227	27	L114 L115 L116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L228	1142	(source adj1 address) with learn\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L229	5	L227 and L228	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L230	0	10/761879	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L231	22	(source adj1 address) with learn\$3 same (different adj1 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:15
L233	0	((approv\$3 adj associat\$5) with (source adj1 address) with port).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:37
L234	1125	((source adj1 address) with port).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:37
L235	4	234 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:37
L236	0	234 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:38
L237	2	234 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 14:38
L240	0	(\$3approv\$4 with (associat\$4 with ((source mac) adj1 address) with port)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 15:01
L249	0	((((source mac) adj1 address) same (port near2 number)) and ((automatic adj1 learning) and (controlled adj1 learning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 20:20
L250	0	(cpu with \$3approv\$4 same (mac adj1 address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 20:21
L252	4	(\$3approv\$4 with (associat\$4 with ((source mac) adj1 address) with port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 20:21

L253	0	((approv\$3 near associat\$5) with (source adj1 address) with port).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 20:22
L254	0	((approv\$3 near associat\$5) with ((mac source) adj1 address) with port).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/13 20:23

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L232	17	(source adj1 address) with learn\$3 same (different adj1 port)	USPAT; UPAD	OR	ON	2010/07/13 14:15
L238	1	(cpu with \$3approv\$4 same (mac adj1 address)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 14:59
L239	1	(\$3approv\$4 with (associat\$4 with ((source mac) adj1 address) with port)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 15:00
L241	1	(\$3approv\$4 same (associat\$4 with ((source mac) adj1 address) with port)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 15:01
L243	1	(request\$3 same (associat\$4 with ((source mac) adj1 address) with port) same cpu).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 15:02
L244	1	(request\$3 same (associat\$4 with ((source mac) adj1 address) with port) and cpu).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 15:02
L245	0	((source adj1 address) with learn\$3 same (different adj1 port) same cpu).clm.	USPAT; UPAD	OR	ON	2010/07/13 15:03
L246	0	((source adj1 address) with (associat\$4 populat\$3 learn \$3) same (different adj1 port) same cpu).clm.	USPAT; UPAD	OR	ON	2010/07/13 15:03
L247	0	((source adj1 address) same (associat\$4 populat\$3 learn \$3) same (different adj1 port) same cpu).clm.	USPAT; UPAD	OR	ON	2010/07/13 15:03
L248	1	((approv\$3 adj associat\$5) with ((mac source) adj1 address) with port).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 15:04
L251	5	(\$3approv\$4 with (associat\$4 with ((source mac) adj1 address) with port))	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 20:21
L255	1	((approv\$3 near associat\$5) with ((mac source) adj1 address) with port).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/13 20:23

7/ 13/ 2010 8:23:25 PM**H:\ East\ Workspaces\ 10761879.wsp**